

Technical data sheet

Suppression Technology · Valve Suppressors - special function

Adjustable male, form A (18 mm) 2pol. + 2×PE, IP65

- two cable entry points

Ground wire terminator (PE) adjustable in 180° steps, 0°/180° mounting possible



Identification

Type	LPG-V10-7514 up to 230 V
Part No.	707514

Product version

Datasheet version	00
-------------------	----

Technical data

Type of function	Double valve suppressor
Protection device	None protection device
Rated voltage U_N	AC/DC 0–230 V
Rated frequency f_N	50 Hz / 60 Hz
Holding Capacity	100 VA
Connecting lead $\varnothing$	5 – 9 mm
Fitting	PG 9

General

Design	A (18 mm)
Amperage range	≤ 4 A
Contact resistance	< 15 m Ω
Insulation resistance	> 100 M Ω
Pole number	3
Housing material	PA
Color of the housing	black
Contact material	CuSn tin-plated
Material seal	NBR

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park
Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU
Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2
www.lutze.com • sales.gb@lutze.co.uk

Germany: Friedrich Lütze GmbH

Postfach 12 24 (PLZ 71366) • Bruckwiesenstraße 17-19 • D-71384 Weinstadt
Tel. +49 (0)7151 6053-0 • Fax +49 (0)7151 6053-277(-288)
www.luetze.de • info@luetze.de

10.11.2021 • Subject to technical modification

Part No. 707514 • Datasheet version: 00

page 1 of 3

Technical data sheet

Suppression Technology · Valve Suppressors - special function

Material sealing ring	NBR
Mechanical service life	>100 insertion cycles
Degree of pollution	3
Protection class	IP65
Mounting	Breakaway torque 0.4 Nm
Connection type	Screw terminal
Connection cross-section	0.5 – 1.5 mm ²
Connection cross-section	AWG 20 – AWG 16
Operation temperature range	-25 °C ... +60 °C
Storage temperature range	-25 °C ... +80 °C
Dimensions (w × h × d)	28.0 mm × 50.0 mm × 63.0 mm
Weight/unit	0.03 kg
PU (units)	10


Certifications/Standards

Standards	EN 175301-803 ISO 4400
-----------	---------------------------

Accessories

Accessories	Marker holder BZT, white: Part-No. 681315 BZT 0920 PU: 100 units
-------------	--


Dimensions



Technical data sheet

Suppression Technology · Valve Suppressors - special function

PIN assignment



Mounting diagram

