

## Technical data sheet

### Cable fittings and accessories

---

#### LÜTZE CABLEFIX® Vario

##### Blank plugs

Feed-through for all prefabricated cables and wires with connectors



---

#### Identification

|          |                        |
|----------|------------------------|
| Type     | VARIO BL14             |
| Part No. | <a href="#">606258</a> |

---

#### Product version

|                   |    |
|-------------------|----|
| Datasheet version | 02 |
|-------------------|----|

---

#### Use/Application/Properties

|             |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Application | <ul style="list-style-type: none"><li>• Electrotechnology, pneumatics, hydraulics, robotics, general machine and plant construction</li></ul>                                                                                                                                                                                                                                                                                                |
| Properties  | <ul style="list-style-type: none"><li>• Blank plugs for feed through and terminal frames</li><li>• High flexibility in the application</li><li>• Additional mounting to existing installation easily possible</li><li>• Even pressure effect on the feed through round material yields good strain relief and sealing</li><li>• Unneeded holes in the module can simply with blank plugs</li><li>• Very good weathering resistance</li></ul> |

---

#### Technical data

|                       |                    |
|-----------------------|--------------------|
| Length                | 30 mm              |
| Temperature range     | -40 °C ... +100 °C |
| Diameter D            | 14 mm              |
| suitable for Part-No. | 606159             |

---

#### Construction

|             |                            |
|-------------|----------------------------|
| Description | LÜTZE CABLEFIX® VARIO BL14 |
|-------------|----------------------------|

---

#### United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park  
Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU  
Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2  
[www.lutze.com](http://www.lutze.com) • [sales.gb@lutze.co.uk](mailto:sales.gb@lutze.co.uk)

#### Germany: Friedrich Lütze GmbH

Postfach 12 24 (PLZ 71366) • Bruckwiesenstraße 17-19 • D-71384 Weinstadt  
Tel. +49 (0)7151 6053-0 • Fax +49 (0)7151 6053-277(-288)  
[www.luetze.de](http://www.luetze.de) • [info@luetze.de](mailto:info@luetze.de)

20.10.2023 • Subject to technical modification

Part No. [606258](#) • Datasheet version: 02

page 1 of 3

## Technical data sheet


### Cable fittings and accessories

|                          |                                                                                                                                                      |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Material                 | PA6GF15                                                                                                                                              |
| Material characteristics | UV-resistant<br>ozone-resistant<br>Oil resistant<br>fuel-resistant<br>acid-resistant.<br>alkali-resistant<br>solvent-resistant<br>seawater-resistant |

#### General

|            |   |
|------------|---|
| PU (units) | 1 |
|------------|---|

#### Dimensions



#### Use

|                                                                                                                                                      |                                                                                                                                   |                                                                                                                                   |                                                                                                                                   |                                                                                                                                                                                                 |                                                                                                                                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| <p>Technical drawing of cable fitting 606250 VARIO BL4. It shows a side view with a height of 30 and a diameter of <math>\varnothing 4</math>.</p>   | <p>Technical drawing of cable fitting 606251 VARIO BL5. It shows a side view with a diameter of <math>\varnothing 5</math>.</p>   | <p>Technical drawing of cable fitting 606252 VARIO BL6. It shows a side view with a diameter of <math>\varnothing 6</math>.</p>   | <p>Technical drawing of cable fitting 606253 VARIO BL7. It shows a side view with a diameter of <math>\varnothing 7</math>.</p>   | <p>Technical drawing of cable fitting 606254 VARIO BL8. It shows a side view with a diameter of <math>\varnothing 8</math>.</p>                                                                 | <p>Technical drawing of cable fitting 606255 VARIO BL9. It shows a side view with a diameter of <math>\varnothing 9</math>.</p> |
| <b>606250 VARIO BL4</b><br>for 606151 VARIO VK4                                                                                                      | <b>606251 VARIO BL5</b><br>for 606152 VARIO VK5                                                                                   | <b>606252 VARIO BL6</b><br>for 606153 VARIO VK6                                                                                   | <b>606253 VARIO BL7</b><br>for 606154 VARIO VK7                                                                                   | <b>606254 VARIO BL8</b><br>for 606155 VARIO VK8                                                                                                                                                 | <b>606255 VARIO BL9</b><br>for 606156 VARIO VK9                                                                                 |
| <p>Technical drawing of cable fitting 606256 VARIO BL10. It shows a side view with a height of 30 and a diameter of <math>\varnothing 10</math>.</p> | <p>Technical drawing of cable fitting 606257 VARIO BL12. It shows a side view with a diameter of <math>\varnothing 12</math>.</p> | <p>Technical drawing of cable fitting 606258 VARIO BL14. It shows a side view with a diameter of <math>\varnothing 14</math>.</p> | <p>Technical drawing of cable fitting 606259 VARIO BL16. It shows a side view with a diameter of <math>\varnothing 16</math>.</p> | <p>Technical drawing of cable fitting 606260 VARIO BL18. It shows a side view with a diameter of <math>\varnothing 18</math> and a top view with a diameter of <math>\varnothing 18</math>.</p> |                                                                                                                                 |
| <b>606256 VARIO BL10</b><br>for 606157 VARIO VK10                                                                                                    | <b>606257 VARIO BL12</b><br>for 606158 VARIO VK12                                                                                 | <b>606258 VARIO BL14</b><br>for 606159 VARIO VK14                                                                                 | <b>606259 VARIO BL16</b><br>for 606160 VARIO VK16                                                                                 | <b>606260 VARIO BL18</b><br>for 606201 VARIO VG18                                                                                                                                               |                                                                                                                                 |

## Technical data sheet

### Cable fittings and accessories

#### Use

**NOTICE:** The compilation of modules is exemplary. Suitable modules must be ordered separately.

