

## Technical data sheet

### Cable fittings and accessories

---

#### LÜTZE CABLEFIX® Vario

##### Rubber modules

Feed-through for all prefabricated cables and wires with connectors



---

#### Identification

|          |                        |
|----------|------------------------|
| Type     | VARIO VG22             |
| Part No. | <a href="#">606203</a> |

---

#### Product version

|                   |    |
|-------------------|----|
| Datasheet version | 02 |
|-------------------|----|

---

#### Use/Application/Properties

|             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Application | <ul style="list-style-type: none"><li>• Electrotechnology, pneumatics, hydraulics, robotics, general machine and plant construction</li></ul>                                                                                                                                                                                                                                                                                                                                       |
| Properties  | <ul style="list-style-type: none"><li>• Rubber modules for feed through and terminal frames</li><li>• High flexibility in the application</li><li>• Additional mounting to existing installation easily possible</li><li>• Even pressure effect on the feed through round material yields good strain relief and sealing</li><li>• Compact design i.e. space-saving</li><li>• 2 module sizes with slot and suspension principle</li><li>• Very good weathering resistance</li></ul> |

---

#### Technical data

|                        |                             |
|------------------------|-----------------------------|
| Dimensions (w × h × d) | 40.0 mm × 40.0 mm × 30.0 mm |
| Number of holes        | 1                           |
| Clamping range D       | 20.5 – 22.5 mm              |
| Temperature range      | -40 °C ... +100 °C          |

---

#### United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park  
Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU  
Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2  
[www.lutze.com](http://www.lutze.com) • [sales.gb@lutze.co.uk](mailto:sales.gb@lutze.co.uk)

#### Germany: Friedrich Lütze GmbH

Postfach 12 24 (PLZ 71366) • Bruckwiesenstraße 17-19 • D-71384 Weinstadt  
Tel. +49 (0)7151 6053-0 • Fax +49 (0)7151 6053-277(-288)  
[www.luetze.de](http://www.luetze.de) • [info@luetze.de](mailto:info@luetze.de)

20.10.2023 • Subject to technical modification

Part No. [606203](#) • Datasheet version: 02

page 1 of 3

## Technical data sheet

### Cable fittings and accessories

#### Construction

|                          |                                                                                                                                                      |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Description              | LÜTZE CABLEFIX® VARIO VK22                                                                                                                           |
| Material                 | PA6GF15                                                                                                                                              |
| Material characteristics | UV-resistant<br>ozone-resistant<br>Oil resistant<br>fuel-resistant<br>acid-resistant.<br>alkali-resistant<br>solvent-resistant<br>seawater-resistant |
| Color                    | black                                                                                                                                                |


#### General

|            |   |
|------------|---|
| PU (units) | 1 |
|------------|---|

#### Notes and Comments

|      |                                                                         |
|------|-------------------------------------------------------------------------|
| Note | Unit corresponds to the number of required rubber modules type VK or VG |
|------|-------------------------------------------------------------------------|


#### Dimensions




## Technical data sheet

### Cable fittings and accessories


#### Use




606200 VARIO VG0




606201 VARIO VG18




606202 VARIO VG20




606203 VARIO VG22




606204 VARIO VG24




606205 VARIO VG26




606206 VARIO VG28




606207 VARIO VG30




606208 VARIO VG32



606209 VARIO VG34



#### Use



**NOTICE:** The compilation of modules is exemplary. Suitable modules must be ordered separately.